



CUSTOM DESIGN


## THE RIGHT PRODUCT WASN'T HERE?

No problem! Our design team will be glad to see your challenge!  
MICROMAT – Your specialist for custom designs.

## LONGITUDINAL STROKE CUSTOM CYLINDER

### TECHNICAL DATA


Outside dimension (mm):	1055,4 x 215 x 215	Stroke length (mm):	739.5
Maximum pressure (bar):	260	Piston diameter (mm):	95
Maximum operating temperature (°C):	70	Rod diameter (mm):	75



## CUSTOM CYLINDER INCL. MEDIA TRANSITION THROUGH PISTON ROD

### TECHNICAL DATA

Outside dimension (mm):	1347 x Ø475	Stroke length (mm):	290
Maximum pressure (bar):	280	Piston diameter (mm):	280
Maximum operating temperature (°C):	70	Rod diameter (mm):	150



## HYDRAULIC NUT TOOL LOCK

### TECHNICAL DATA

Outside dimension (mm):	Ø265 x 104
Maximum pressure (bar):	150
Maximum operating temperature (°C):	70
Stroke length (mm):	6
Piston diameter (mm):	230
Rod diameter (mm):	220



## CUSTOM BLOCK CYLINDER FOR VERY HIGH TRANSVERSE FORCES

### TECHNICAL DATA

Outside dimension (mm):	340 x 340 x 546
Maximum pressure (bar):	150
Maximum operating temperature (°C):	70
Stroke length (mm):	50
Piston diameter (mm):	250
Rod diameter (mm):	220

